

## CLARK-SCHWEBEL FIBER GLASS CORP -- FIBER GLASS CLOTH -- 8305-01-276-9043

## ===== Product Identification =====

Product ID:FIBER GLASS CLOTH  
 MSDS Date:06/28/1989  
 FSC:8305  
 NIIN:01-276-9043  
 MSDS Number: BWRFR  
 === Responsible Party ===  
 Company Name:CLARK-SCHWEBEL FIBER GLASS CORP  
 Box:2627  
 City:ANDERSON  
 State:SC  
 ZIP:29622  
 Country:US  
 Info Phone Num:803-224-3506  
 Emergency Phone Num:800-424-9300 (CHEMTREC)  
 CAGE:1H193

## ===== Contractor Identification =====

Company Name:CLARK-SCHWEBEL FIBER GLASS CORP  
 Box:City:ANDERSON  
 State:SC  
 ZIP:29622  
 Country:US  
 Phone:803-224-3506  
 CAGE:1H193

## ===== Composition/Information on Ingredients =====

Ingred Name:GLASS OXIDE  
 Fraction by Wt: >99%  
 OSHA PEL:15 MG/M3 (MFR)  
 ACGIH TLV:5 MG/M3 (MFR)

Ingred Name:METHACRYLATO CHROMIC CHLORIDE  
 Fraction by Wt: <1%  
 OSHA PEL:N/K  
 ACGIH TLV:N/K

## ===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
 Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
 Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
 Health Hazards Acute and Chronic:ACUTE: IF IN EYES OR ON SKIN, MAY  
 CAUSE MILD IRRITATION. IF INHALED, MAY CAUSE UPPER RESPIRATORY  
 TRACT IRRITATION. CHRONIC HEALTH EFFECTS: NONE MENTIONED.  
 Explanation of Carcinogenicity:NOT RELEVANT  
 Effects of Overexposure:SEE HEALTH HAZARDS.  
 Medical Cond Aggravated by Exposure:NONE.

## ===== First Aid Measures =====

First Aid:INGEST: CALL MD IMMEDIATELY . EYES: FLUSH WITH WATER FOR AT  
 LEAST 15 MINUTES WHILE LIFTING UPPER & LOWER EYELIDS. IF IRRITATION  
 PERSISTS, GET MEDICAL ATTENTION. SKIN: WASH THOROUGHLY WITH SOAP A  
 ND COOL WATER. INHAL: IF INHALED AND AFFECTED, REMOVE INDIVIDUAL TO  
 FRESH AIR. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE

Extinguishing Media:USE APPROPRIATE EXTINGUISHING MEDIA FOR PRIMARY SOURCE OF FIRE. PRODUCT IS NOT COMBUSTIBLE.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:NO SPECIAL PRECAUTIONS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:FIBER GLASS CLOTH IS DENSE AND EVEN SMALL ROLLS ARE HEAVY. USE LIFT DEVICES TO PREVENT INJURIES. DO NOT ALLOW CLOTH TO CRUSH LIMBS OR EXTREMITIES.

Other Precautions:NONE KNOWN.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:IF AIRBORNE FIBERGLASS CONCENTRATIONS EXCEED PERMISSIBLE EXPOSURE LEVELS, NIOSH/MSHA APPROVED RESPIRATORY PROTECTION FOR NUISANCE DUST IN ACCORDANCE WITH OSHA 1910.134 SHOULD BE USED. NONE NORMALLY RE QUIRED.

Ventilation:USE LOCAL EXHAUST VENTILATION IF NECESSARY TO MAINTAIN AIRBORNE LEVELS TO BELOW ESTABLISHED LIMITS.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment:IN SOME CIRCUMSTANCES, IT MAY BE ADVISABLE TO WEAR LONG SLEEVED, LOOSE FITTING CLOTHING.

Work Hygienic Practices:USE RECOM SFTY EQUIP. WASH W/SOAP & WATER AFTER HNDLG. WASH WORK CLOTHES SEPARATELY FROM OTHER CLTHG. WIPE OUT (SUPDAT)

Supplemental Safety and Health

HYGIENE PRACT: WASHING MACHINE.

=====  
Physical/Chemical Properties  
=====

Spec Gravity:2.54 (H\*20=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:WHITE TO LIGHT GREEN, ODORLESS CLOTH.

Percent Volatiles by Volume:NONE

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG BASES AND ACIDS (OXIDIZING MINERAL, ESPECIALLY OXALIC AND HYDROFLUORIC ACID).

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:GLASS CLOTHG: NONE. SMALL AMOUNTS OF OXIDES OF CARBON AND NITROGEN MAY BE EVOLVED IF EXPOSED TO FIRE.

=====  
Disposal Considerations  
=====

Waste Disposal Methods:AN INERT, SOLID WASTE. DISPOSE OF IN A LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.