

This MSDS should be attached or kept with the respective product with which it is associated.

MATERIAL SAFETY DATA SHEET - 7SK06

Associated Grainger Items

4HK54

4HK54

MAY BE USED TO COMPLY WITH
OSHAS HAZARD COMMUNICATION STANDARD
29 CFR 2910.1200. STANDARD MUST BE
CONSULTED FOR SPECIFIC REQUIREMENTS.

HMIS*

HEALTH	1	REACTIVITY	0
FLAMMABILITY	1	PERSONAL PROTECTION	B

IDENTITY (AS USED ON LABEL AND LIST):
C-906 SCRUBS NATURAL FORCE DEGREASER TOWELS

NOTE: BLANK SPACES ARE NOT PERMITTED. IF ANY ITEM IS NOT APPLICABLE, OR NO
INFORMATION IS AVAILABLE, THE SPACE MUST BE MARKED TO INDICATE THAT.

SECTION I

MANUFACTURERS NAME: DYMON, INC.
ADDRESS (NUMBER, STREET, CITY, STATE AND ZIP CODE):
805 EAST OLD 56 HIGHWAY
OLATHE, KS 66061

EMERGENCY TELEPHONE NUMBER: 1-800-535-5053
TELEPHONE NUMBER FOR INFORMATION: 1-800-BUY DYMON 1-800-289-3966
DATE PREPARED: 10-11-96
SIGNATURE OF PREPARER (OPTIONAL): REGULATORY DEPT.

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENTS					
(SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))	CAS NO.	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	% (OPTIONAL)

IN ACCORDANCE WITH 29 CFR 1910.1200, THIS PRODUCT DOES NOT CONTAIN ANY
SUBSTANCES DEFINED AS HAZARDOUS BY THIS STANDARD.

THIS PRODUCT IS NOT KNOWN TO CONTAIN ANY COMPOUND LISTED IN QUANTITIES
REQUIRING REPORTING UNDER SARA TITLE III SECTION 313.

ANY SUBSTANCE LISTED AS HAZARDOUS BY THE STATES OF CALIFORNIA, FLORIDA,
ILLINOIS, MICHIGAN, NEW JERSEY, OHIO, PENNSYLVANIA OR TEXAS IS DESCRIBED ABOVE
IF KNOWN PRESENT IN REGULATED CONCENTRATIONS.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: LIQUID PHASE 212F
SPECIFIC GRAVITY (H2O=1) @ 70F: LIQUID PHASE 0.98
VAPOR PRESSURE (MM-HG @ 70F): NO DATA
MELTING POINT: NO DATA

VAPOR DENSITY (AIR=1): NO DATA
EVAPORATION RATE (BUTYL ACETATE-1): NO DATA
SOLUBILITY IN WATER: COMPLETE
PH: 10.5 +/- 0.5
APPEARANCE AND ODOR: MILKY WHITE LIQUID WITH A NATURAL CITRUS SCENT ON A
TOWELETTE

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED): LIQUID PHASE, NONE TO BOILING POINT. (TCC - EST.)
FLAMMABLE LIMITS: NO DATA LEL: NO DATA UEL: NO DATA
EXTINGUISHING MEDIA: NOT USUALLY NECESSARY AS THIS PRODUCT DOES NOT READILY
SUPPORT COMBUSTION. USE EXTINGUISHING AGENT APPROPRIATE FOR FIRES FUEL
SOURCE (I.E., CARBON DIOXIDE, FOAM, DRY CHEMICAL).

SPECIAL FIRE FIGHTING PROCEDURES: KEEP CONTAINERS COOL AND VAPORS DOWN WITH
WATER SPRAY. PREVENT RUNOFF FROM ENTERING SEWERS AND PUBLIC WATERWAYS. WEAR
SELF CONTAINED BREATHING APPARATUS IN CHEMICAL FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE KNOWN.

SECTION V - REACTIVITY DATA

STABILITY: UNSTABLE: STABLE: X
CONDITIONS TO AVOID: NONE KNOWN

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG ACIDS AND OXIDIZERS.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: CARBON DIOXIDE, CARBON MONOXIDE,
SULFUR DIOXIDE, HYDROGEN SULFIDE, SMOKE, SOOT AND VARIOUS ORGANIC OXIDATION
BY-PRODUCTS.

HAZARDOUS POLYMERIZATION: MAY OCCUR: WILL NOT OCCUR: X
CONDITIONS TO AVOID: NONE KNOWN

SECTION VI - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY:
EYES? YES INHALATION? NO SKIN? YES INGESTION? YES

HEALTH HAZARDS (ACUTE AND CHRONIC): WARNING. CAUSES EYE IRRITATION. MAY
CAUSE SKIN IRRITATION. INHALATION OR INGESTION OF LARGE QUANTITIES MAY CAUSE
IRRITATION TO NOSE, THROAT AND GASTROINTESTINAL TRACT. FOLLOW PROPER
CHEMICAL HYGIENE PRACTICES TO AVOID THESE HAZARDS.

CARCINOGENICITY: NONE KNOWN NTP? NO IARC MONOGRAPHS? NO
OSHA REGULATED? NO

SIGNS AND SYMPTOMS OF EXPOSURE: REDNESS, BURNING, TEARING IN EYES. DRYING,
REDNESS, OR CRACKING OF SKIN. DROWSINESS OR HEADACHE.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: PRE-EXISTING SKIN
DISORDERS MAY BE AGGRAVATED BY PROLONGED OR REPEATED OCCUPATIONAL
OVEREXPOSURE.

EMERGENCY AND FIRST AID PROCEDURES:

EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES LIFTING EYELIDS TO
INSURE COMPLETE REMOVAL. SEE A PHYSICIAN IMMEDIATELY.

INGESTION: RINSE OUT MOUTH. DRINK PLENTY OF WATER. CALL A PHYSICIAN OR

POISON CONTROL CENTER IMMEDIATELY.

INHALATION: GET TO FRESH AIR. IF BREATHING HAS STOPPED, QUALIFIED PERSONNEL SHOULD ADMINISTER ARTIFICIAL RESPIRATION.

SKIN: WASH THOROUGHLY WITH SOAP AND WATER. IF IRRITATION ARISES AND PERSISTS, CALL A PHYSICIAN.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: SMALL SPILL: PICK UP WITH ABSORBENT MATERIAL. LARGE SPILL: ISOLATE FROM TRAFFIC AND VENTILATE AREA. CAUTION, SLIP HAZARD. REMOVE SOURCES OF IGNITION. WEAR PROPER PROTECTIVE GEAR. DIKE TO PREVENT SPREAD. VACUUM OR PICK UP ON ABSORBENT. PLACE IN SUITABLE CONTAINER FOR PROPER DISPOSAL.

WASTE DISPOSAL METHOD: CONSULT LOCAL, STATE AND FEDERAL REGULATIONS. TRIPLE RINSE EMPTY CONTAINER THEN OFFER FOR RECYCLING, REUSE, OR RECONDITIONING.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING BEFORE REUSE. STORE IN A WELL-VENTILATED AREA AWAY FROM EXCESSIVE HEAT, DIRECT SUNLIGHT, AND OTHER IGNITION SOURCES.

OTHER PRECAUTIONS: FOLLOW LABEL DIRECTIONS CAREFULLY. KEEP OUT OF REACH OF CHILDREN. KEEP CONTAINER TIGHTLY SEALED WHEN NOT IN USE. DO NOT CONTAMINATE WATER, FOOD OR FEED BY USE OR STORAGE.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE): NOT USUALLY NECESSARY. USE WITH ADEQUATE VENTILATION. USE NIOSH/MSHA APPROVED RESPIRATOR IF PELS OR TLVS ARE EXCEEDED.

VENTILATION:

LOCAL EXHAUST: NOT USUALLY NEEDED SPECIAL: NONE
MECHANICAL (GENERAL): YES OTHER: NONE

PROTECTIVE GLOVES: ONLY IF DIRECT CONTACT POSSIBLE.

EYE PROTECTION: IF DIRECT CONTACT POSSIBLE USE APPROVED GLASSES OR GOGGLES (ANSI Z87).

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: NOT USUALLY NECESSARY. IF DIRECT CONTACT IS POSSIBLE WEAR APPROPRIATE (I.E., APRON, BOOTS, ETC.)

WORK/HYGIENIC PRACTICES: NORMAL. WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, SMOKING, USING RESTROOMS, ETC.

WARNING! THE USE OF THIS PRODUCT IS BEYOND THE CONTROL OF THE MANUFACTURER, THEREFORE, NO GUARANTEE, EXPRESSED OR IMPLIED, IS MADE AS TO THE EFFECTS OF SUCH OR THE RESULTS TO BE OBTAINED IF NOT USED IN ACCORDANCE WITH THE DIRECTIONS OR ESTABLISHED SAFE PRACTICE. THE USER MUST ASSUME ALL RESPONSIBILITY, INCLUDING INJURY OR DAMAGE, RESULTING FROM THE MISUSE AS SUCH, OR IN COMBINATION WITH OTHER MATERIALS. THE MANUFACTURER WARRANTS ONLY THAT THIS PRODUCT MEETS THE MANUFACTURERS SPECIFICATIONS FOR SUCH PRODUCT. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, AS TO DESCRIPTION, QUALITY, MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, PRODUCTIVENESS, OR ANY OTHER MATTER, OF THIS PRODUCT. THE MANUFACTURER SHALL BE IN NO WAY RESPONSIBLE FOR THE PROPER USE OF THIS PRODUCT. THE ROLE AND EXCLUSIVE REMEDY AGAINST THE MANUFACTURER FOR BREACH OF WARRANTY SHALL BE REIMBURSEMENT OF THE PRODUCT PRICE OF THE PRODUCT IN THE EVENT THAT A DEFECTIVE CONDITION OF THE PRODUCT SHALL BE FOUND TO EXIST. NO

OTHER REMEDY (INCLUDING BUT NOT LIMITED TO INCIDENTAL OR CONSEQUENTIAL DAMAGES
FOR INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL
LOSS) SHALL BE AVAILABLE.

♦