

MATERIAL SAFETY DATA SHEET

ZYGLO® PENETRANT ZL-37

1. IDENTIFICATION

Company: MAGNAFLUX
Address: 3624 West Lake Avenue, Glenview, Illinois 60026
Telephone No.: 847-657-5300 (Off-Hour Emergency Number - CHEMTREC - 1-800-424-9300).
Product Use: Fluorescent inspection penetrant
Packages: 5 gallon pails, 20 gallon and 55 gallon drums, pens
NFPA Rating: Health 1, Flammability 1, Reactivity 0
PIN: None
Revision Date: July 2, 2007

2. HAZARDOUS INGREDIENTS

<i>Ingredient</i>	<i>Wt./Wt. %</i>	<i>CAS #</i>	<i>TLV</i>	<i>PEL</i>	<i>LD₅₀</i>	<i>LC₅₀</i>
Severely hydrotreated heavy naphthenic petroleum distillates	30-60	64742-52-5	not avail.	5 mg/m ³	>5 g/kg (oral/rat)	not avail.
Isodecyl diphenyl phosphate	15-40	29761-21-5	not avail.	not avail.	15.8 g/kg (oral/rat)	6.7 g/l (96 hr/bluegill)
Ethoxylated Nonylphenol	0-5	9016-45-9	not avail.	not avail.	not avail.	not avail.
Triphenyl phosphate	1-3	115-86-6	3 mg/m ³	not avail.	3.5 g/kg (oral/rat)	290 mg/kg (96 hr/bluegill)

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
Bland, oily liquid which may irritate the skin and eyes. Difficult to ignite, but will burn vigorously, if engulfed in fire.

POTENTIAL HEALTH EFFECTS

Skin Contact: Can irritate by removing natural skin oils on long or repeated exposures.
Eyes: May cause irritation.
Inhalation: Not significant at room temperatures. When heated or sprayed, ZL-37 vapors may cause dizziness and nausea.
Ingestion: Not significant in small (mouthful) amounts.
Medical conditions known to be aggravated by exposure to product: None

4. FIRST AID

Skin Contact: Wash off with soap and water. Use soothing lotion.
Eyes: Rinse carefully under upper and lower eyelids using plenty of water.
Inhalation: Remove to fresh air if dizzy or nauseated.
Ingestion: Do not induce vomiting. Accidental ingestion of a small mouthful is not expected to cause significant harm.
NOTE: In all severe cases, contact physician immediately. Local telephone operators can furnish number of regional poison control center.

5. FIRE HAZARD

Conditions of flammability: Heating above 200°F (93°C) in presence of ignition sources.
Flash point: Min. 200°F (93° C) (Pensky-Martens closed cup)
Flammable limits in air: 1% to 6%
Extinguishing media: Carbon dioxide, foam
Special fire fighting procedures: Keep containers cool with water spray. Do not spray water directly on burning ZL-37. It may float and spread the fire.
Hazardous combustion products: Smoke, soot, oxides of carbon and nitrogen.
Unusual fire hazards: None.

6. ACCIDENTAL RELEASE MEASURES

Mop up or sweep up with absorbent. (For disposal, see Section 13.)

7. **HANDLING AND STORAGE**

Avoid breathing spray mist. Avoid eye contact. Avoid repeated or prolonged skin contact. Store away from heat sources. Do not spray around arcs or flames.

8. **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Controls: None, unless applied as spray. Use where ventilation will carry spray mist away from occupied areas.

Personal protection Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Respirator with filter if sprayed in enclosed, unventilated space.

9. **PHYSICAL PROPERTIES**

<i>Initial boiling point (bulk):</i>	Min.455°F(235°C) (ASTM D-86)	<i>Vapor pressure:</i>	Bulk: < 0.10mm @ 70° F (21° C)
<i>VOC Content (EPA Method 24):</i>	191 g/L	<i>Vapor density:</i>	Heavier than air
<i>Density/sp. gravity:</i>	0.96	<i>Evaporation rate:</i>	Negligible
<i>Water solubility:</i>	0%	<i>Appearance:</i>	Green oily liquid
<i>pH:</i>	Neutral	<i>Odor:</i>	Mild odor

10. **STABILITY AND REACTIVITY**

Stability: Stable
Incompatibility: None
Hazardous decomposition products: Soot, oxides of carbon if heated to combustion temperatures.
Reactivity: None

11. **TOXICOLOGICAL INFORMATION**

Carcinogenicity: Contains no known or suspected carcinogens listed with OSHA, IARC, NTP, or ACGIH.
Threshold limit value: 5 mg/m³ for oily mist
WHMIS information (Canada): According to available information, the ingredients have not been found to show reproductive toxicity, teratogenicity, mutagenicity, skin sensitization, or synergistic toxic effects with other materials.

12. **ECOLOGICAL INFORMATION**

Because it contains 10% or more of a marine pollutant (Isodecyl Diphenyl phosphate) and 1% or more of a severe marine pollutant (Triphenyl Phosphate), ZL-37 is itself considered a marine pollutant. It floats on water and can be skimmed off. Its low vapor pressure may exempt it from VOC restrictions.

13. **DISPOSAL**

As a non-hazardous oily waste, incinerate or send to waste handler who can blend it into secondary fuels.
RCRA: Not a hazardous waste
U.S. EPA Waste Number: None

14. **TRANSPORTATION**

U.S. DOT: 49 CFR 172.101 Hazardous Materials Table

	<u>Non-Bulk and</u>	<u>Bulk or Vessel</u>
	<u>Non-Vessel</u>	
<i>Proper shipping name:</i>	None, not restricted	Environmentally hazardous substance Liquid, n.o.s. (isodecyl diphenyl phosphate, triphenyl phosphate)
<i>Technical Name of Hazardous Component(s):</i>	None	Isodecyl Diphenyl phosphate, Triphenyl Phosphate
<i>Hazard class or division:</i>	None	9
<i>Identification No.:</i>	None	UN 3082
<i>Packing Group:</i>	None	III
<i>Other Information:</i>	None	This product contains 10% or more of a DOT Marine Pollutant (Isodecyl Diphenyl phosphate) and 1% or more of a DOT Severe Marine Pollutant (Triphenyl Phosphate).

15. **REGULATORY INFORMATION**

TSCA: All ingredients are listed in TSCA inventory.

CERCLA: Not reportable

SARA TITLE III, Section 313: No reportable ingredients

California Proposition 65: Warning: This material may contain trace amounts of chemicals known to the state of California to cause cancer and/or birth defects and/or reproductive harm.

WHMIS Class (Canada): Bulk: D-2B

Note: This MSDS has been prepared to meet WHMIS (Canada) requirements with the exception of using 16 headings.

16. **OTHER INFORMATION**

Revision Statement: Sections: 1 & 2

Supersedes: MSDS dated 4/13/07

Prepared by: Shawn Kilty, Research Chemist